

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



Four Principles for Designing Instructions

Patricia Baggett
Psychology Department
University of Colorado

WA 128923

Technical Report No. 121-ONR

Institute of Cognitive Science University of Colorado Boulder, Colorado 80309

January, 1983

This research was sponsored by the Personnel and Training Research Programs, Psychological Science Division, Office of Naval Research, under contract No. N00014-78-C-0433, Contract Authority Identification Number NR 157-422

E FILE COPY

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

the second secon

83 06 07 067

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

	REPORT DOCUMENTA		READ INSTRUCTIONS BEFORE COMPLETING FORM
1,	NEPORY NUMBER 121-ONR	2. GOVT ACCESSION NO.	
4.	Four Principles for Designin		5. TYPE OF REPORT & PERIOD COVERED
	, .		6. PERFORMING ORG. REPORT NUMBER ONR
7.	AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(s)
	Patricia Baggett		N00014-78-C-0433
9.	PERFORMING ORGANIZATION NAME AND AS Institute of Cognitive Scien University of Colorado - Cam Boulder, CO 80309	nce	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 157-422
11.	CONTROLLING OFFICE NAME AND ADDRESS Personnel & Training Researc	-	April, 1983
	Office of Naval Research (Co		13. NUMBER OF PAGES 42
14.	MONITORING AGENCY NAME & ADDRESS/II	different from Controlling Office)	18. SECURITY CLASS. (of this report)
		,	Unclassified
		l	15a. DECLASSIFICATION/DOWNGRADING

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

This report is also to appear in <u>IEEE Transactions on Professional</u> Communication.

Designing instructions, naming, naming schema, categorization, classification of unfamiliar items, recognition, recall, visual-verbal associations, dual media, multimedia, conceptualization of a procedure, comparing conceptualizations, cluster analysis, learning a procedure, audio-visual training, hands-on practice, retaining a procedure.

29. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This paper gives four principles for preparing multimedia instructional sequences, and, where necessary, the experimental methods for applying the principles successfully. It also describes the empirical experiments on which the principles are based. Principle One is a criterion for good terminology for unfamiliar objects, actions, and situations, with methods for deriving such terminology. Principle Two tells how to overlap visual and spoken elements in time (as in

SECURITY CLASSIFICATION OF THIS PAGE(When Bete Entered

Principle Three states that division of instructions into conceptual units should be in agreement with people's natural conceptualization. Here, a method is presented for finding the natural conceptualization. Finally, Principle Four regards mixing audiovisual instruction with hands-on practice in learning a procedure. These principles should be useful in a variety of situations.

-	•
Accession For	1
NTIS GRAEI	1
DI:C TAB	I
Justification	1
Justinie	4
1 2	_
Distribution/	
Availability Codes	
TO LOCAL LOCAL	
Dish Seedal	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
1	



Four Principles for Designing Instructions ABSTRACT

This paper gives four principles for preparing multimedia instructional sequences, and, where necessary, the experimental methods for applying the principles successfully. It also describes the empirical experiments on which the principles are based. Principle One is a criterion for good terminology for unfamiliar objects, actions, and situations, with methods for deriving such terminology. Principle Two tells how to overlap visual and spoken elements in time (as in a movie or lecture with slides) in order for good associations to be formed. Principle Three states that division of instructions into conceptual units should be in agreement with people's natural conceptualization. Here, a method is presented for finding the natural conceptualization. Finally, Principle Four regards mixing audiovisual instruction with hands-on practice in learning a procedure. These principles should be useful in a variety of situations.

Four Principles for Designing Instructions

Introduction

This article contains four principles for designing multimedia instructions. By multimedia is meant visual and verbal material (such as a film or a text with illustrations) and actual practice. The instructions we have focussed on are for assembly of physical objects, but the principles are not restricted to application only in assembly.

The first principle deals with how to construct terminology for use with unfamiliar objects, actions, or situations. The second principle is how to overlap visual and spoken material in time, in order for good associations to be made. The third principle tells how to divide instructional material into conceptual units. And the fourth deals with mixing audiovisual instruction with hands-on practice.

Principles one through four are in general both task- and subject-dependent. For example, the right terminology depends on the task or the material presented, and on the verbal abilities of the subjects. The amount of hands-on practice could depend on subjects' manual dexterity and experience with similar kinds of tasks.

For the principles which are subject- or task-dependent, we present here the experimental methods which one can use to determine subject and task parameters. For example, in Part I we present an experimental method of how to develop terminology which is adequate for a task and for subjects who will perform the task. In Part III we present an experimental method for the division of material into conceptual units. It is again task- and subject-dependent.

In some cases we can suggest general principles, namely, specific do's and don't's that should apply to any task and any group of subjects. For example,

in Part II, a visual presentation should precede or be in synchrony with the related spoken presentation, and not follow it. The general principles which we present have been derived from empirical experiments, or are consistent with what we know from the experiments.

Part I: Developing Terminology

The Principle: The criteria for good terminology to use with unfamiliar Objects, actions, or situations are that the terminology:

- (a) be natural, so people with no experience can use it;
- (b) be short, so that in a verbal communication, only a few words of description are needed;
- (c) be well remembered; and
- (d) form a classification system. That is, names of objects should contain generic terms and, when necessary, one or more modifiers.

We give here the experimental method for deriving terminology which meets the above criteria. Part of the method is described in detail in [1]. It is extended and improved here.

The method for creating good names for unfamiliar objects is an iterative procedure with three steps:

- Step 1. Names are generated for each of the objects by a group of subjects.
- Step 2. From the names generated by subjects, the experimenter chooses a subset of the names, according to the following criteria: (1) the modal name is chosen, namely, if a particular name is generated more often than others, it is chosen; (b) shorter names are preferred; and (c) the names chosen stay within the classification system provided by the subjects.
- Step 3. How good the names are is tested by measuring, first, how well people can match the names with the objects they describe, and second, how well they can recall the names, given the objects.

Steps 2 and 3 can be iterated: If a given name is poorly matched or

recalled, it can be replaced by another generated name and tested again.

In our experiment, the items to be named were the 48 different pieces from the Fischer-Technik 50 assembly kit. One such piece is shown in Figure 1. It is red plastic, with an actual size of $15 \times 15 \times 7.5$ mm ($.6 \times .6 \times .3$ in). We show here how it was named.

Insert Figure 1 about here

In Step 1, fourteen people named it as follows: red H block, all purpose joint, universal connector, X-joint, H piece, universal connector, H joint, holder, universal frame connection, large block connector, flat grooved connector (female), red _____, flat bracket with grooves, block 2.

These names were formed into a graph, as shown in the upper panel of Figure 2. The graph has nodes containing the different words.

Insert Figure 2 about here

It also has directed links, from A to B, for all cases when two words, A and B, were given consecutively in a name, with A preceding B. There are also start and end nodes. The number of times a particular word was used is given in parentheses under its node, for all words used twice or more.

One has options in forming the graph. For example, one can decide to form grammatical categories, so that "block" can occur on the graph as both adjective and noun. (We did.) One can decide to collapse the nodes "grooved" and "with" and "grooves" into one node, "grooved". (We did.)

From this graph, a <u>composite naming diagram</u> was formed, as shown in the lower pane) of Figure 2. It is a subgraph consisting of all nodes with words mentioned at least twice. (How many times a word must be mentioned in order for

it to appear on the composite naming diagram is determined by the experimenter, depending on the number of subjects run and the variety of words. We chose two.)

From the composite diagram, a name was chosen, using the guidelines of (a), (b), (c), and (d) above. Names suggested as candidates from the diagram were: block, red H block, red H joint, H block, H joint, flat grooved connector, and universal connector. These were only suggestions; the experimenter could choose as a name any shortened name (e.g., red block, grooved connector) or any name formed from unlinked combinations of modifiers and noun (e.g., universal block, flat H joint). We chose the name red H joint for iteration 1.

In a similar manner, a name was selected for each of the other 48 pieces. These are called iteration one names. The 48 iteration one names were used to begin the iterative procedure. That is, they were tested (using new subjects) for matching and recall. In scoring the matching and recall tasks, the errors clearly indicated misleading names. These names were changed for the next iteration. Usually a new name from the composite naming diagram was selected. Sometimes, when the composite naming diagram did not suggest a new name, more subjects generated names for the piece(s), and a new name was chosen from the new composite naming diagram.

If a new name involved a change in category for a piece (as "strip" to "rail" or "plate" to "platform"), names of all other pieces in that category were changed to the new one.

The names for the piece in Figure 1 were <u>red H joint</u>, grooved <u>H joint</u>, and <u>H joint</u> for iterations 1, 2, and 3 respectively. (The manufacturer's name for it is <u>building block 7.5.</u>)

Percentage correct for the 48 names on matching and recall, and the average number of words per name, are given in Table 1 for each of the three iterations, and for the names appearing in the manufacturer's instruction booklet. Table 1

The second secon

shows that in general, as iterations progressed, names became shorter and were better matched with their physical referents and better recalled. All groups with subject-derived names (iterations 1, 2, and 3) substantially outperformed the group with the manufacturer's names.

The number of iterations needed to derive the names will probably vary with the items to be named. In our study, only three iterations were used because the score on the matching task on iteration three was nearly 100% and therefore could not be significantly increased.

This technique to derive good names has two nice properties:

- (1) It gets around the problem of having to specify what should (always) and should not (ever) be included in a name. For example, it does not specify if color, size, or shape should be included.
- (2) It is subject-driven. The names elected will probably reflect subjects' linguistic abilities and preferences.

A feature of a piece is a part of the piece which needs a name in instructions for assembly. Examples are knob, groove, teeth, and slot. These names were derived as follows.

The same methodology used for the naming schema (but without the iterations) was used. That is:

- (1) Subjects generated names for the features.
- (2) New subjects were given the feature names and ranked them according to their preference.
- (3) The feature was given the name which was most preferred.

Here is an important finding: In most cases, the most frequently generated feature name got the most first place votes (or the highest mean rank ordering). But in a few cases, a less frequently generated name won. This means that, although people cannot necessarily generate the most preferred name, they can nevertheless recognize it.

The state of the s

To derive descriptions of actions required to join pieces, a similar methodology was used:

- 1. Subjects learned the names derived above for pieces and their features.
- 2. They studied diagrams and actual pieces in each of two states, unassembled and assembled.
- 3. They went through the action with the actual pieces, from unassembled to assembled, five times.
- 4. They wrote down what they did in the form of instructions.

These data showed that of the three parts necessary for a full description, that is, (1) initial condition; (2) action; (3) final condition, about 1/4 of the subjects described (1) and (2), leaving (3) unspecified, and about 3/4 of the subjects described (2) and (3), leaving (1) unspecified. We do not know at the present time which elements of the action descriptions will give the best learning results. We also do not know if the most frequently generated verbs used to describe the actions are the most preferred.

We have given the methodology to derive names for pieces, feature names, and action descriptions that ought to be easily matched with their visual counterparts. This methodology has already been successfully applied in other situations ([2] and [3]) where naming schemas are needed, and it ought to be useful in new situations as well.

The first principle, then, states the criteria for a good system of terminology. And the methodology to derive such terminology is given.

Part II: The Correct Temporal Overlap of Visual and Spoken Elements in a Presentation

The Principle: In order for good associations between the visual and spoken elements in a presentation to occur, the visual part should precede, or be in synchrony with, the spoken part, and not follow it.

This general principle does not require additional experiments for its implementation. It can simply be used as stated.

We describe briefly the experiment we performed, from which we derived the principle. A full version of the experiment is given in [4]. A related experiment, using educational material, is in [5].

Fourteen groups of subjects were shown a thirty minute film which introduced the Fischer-Technik 50 assembly kit, its pieces, their names (the iteration three names derived above), and some of their uses. The film's visuals and narration could be presented in synchrony, or one could be shifted relative to the other up to 21 sec.

Subjects saw the film in one of seven versions: visuals moved relative to narration by -21, -14, -7, 0 (synchrony), 7, 14, or 21 sec. They were tested immediately or after seven days for recall of the names, given the pieces. The hypothesis was, the higher the recall, the better the associations.

The results are illustrated in Figure 3. Scores were highest immediately

Insert Figure 3 about here

and after seven days for two groups: synchrony and visuals 7 sec before narration. On the immediate test, each of the other five groups scored about 80% of the highest groups. On the test after seven days, the other five groups scored differently: the three narration-first groups performed about 30% less well than the two visuals-first groups. (The statistical analyses, and a theoretical interpretation of the results, are given in [4].)

The temporal order in which visual and auditory elements were presented differentially influenced the formation of visual-verbal associations. When visuals precede narration by up to 7 sec, recall is as good as when visuals and narration are in synchrony. When narration precedes visuals by 7 sec or more,

much of the narration is lost, especially after a delay.

To repeat, then, the principle of how to overlap visual and spoken material in time, in order for good associations to be formed, is: The spoken material should follow, or be in synchrony with, the visual image, and not precede it. The correct temporal overlap of visuals and narration should not be restricted only to films. It should hold as well for illustrated lectures, slide shows, written text with pictures, etc. One should present the visual part early, or simultaneously with the text. Show first and tell second, or show and tell in synchrony, but do not tell first and show second.

Part ITI: Dividing Instructional Material into Conceptual Units.

The Priciple: Decomposition of instructional material into conceptual units should be in agreement with people's natural conceptualization of the task.

In order to implement this principle, three steps are required:

- 1. Find what the natural conceptualization of a person is.
- 2. Find if different people conceptualize uniformly (If they do not, probably different conceptualizations of the material are required for different people.)
- 3. Arrange the material to be presented according to the subjects' conceptualization.

Below, we present the experimental methods for steps (1) and (2). Namely, we present first the technique for finding an individual subject's conceptualization. We then present the technique for determining if subjects conceptualize uniformly, and for constructing a composite conceptualization for a population of subjects. (Step two requires extensive programming.)

Step 1: Finding the natural conceptualization of an individual.

We outline here a methodological schema to find how people divide an object into subassemblies, that is, how they conceptualize it, from the order in which they use the parts in the construction of the object. The assumption we are making can be illustrated by a simple example. If, in joining four pieces, A, B, C, and D, a person consistently joins A and B, and then C and D, and then joins the two subassemblies, it is expected that in a division into two parts, the person has the concepts (AB) and (CD).

The method used is to have a person ask for pieces one at a time for assembly, and to record the order of request. It has the following underlying hypothesis: In assembling an object from a model or other input, the person conceptualizes the object to be built, and then asks for parts, grouped together according to the conceptual division.

These data are easy to gather, even for complex objects. We will show data from an object (the toy helicopter shown in Figure 4) consisting of 54 pieces, but we estimate that substantially more pieces do not create

Insert Figure 4 about here

a problem. The data analysis is also straightforward. It consists of three parts:

1. An assembly object is drawn as an abstract graph whose nodes represent pieces and whose edges (links) represent connections. (This representation can be used on any assembled object, not just Fischer Technik.) The abstract graph of the helicopter shown in Figure 4 is given in Figure 5. Nodes in Figure 5 are numbered 1 through 54, to correspond to specific pieces in the helicopter.

Insert Figure 5 about here

2. A <u>distance</u> between nodes on the graph is introduced, based on how closely the requests for the different pieces are. (For example, if a person requests piece 10 fifth and piece 11 ninth, the distance between pieces 10 and 11 is | 5 -

ALCOHOL:

9 | = 4.

3. A cluster analysis is performed, and the clusters are used as hypothetical conceptual units of the person building. Each node is put in a cluster with its closest connected neighbor. An example is given in Figure 6 by the thin solid lines on the figure. Then each cluster is put in a

Insert Figure 6 about here

higher-order cluster with its closest connected neighbor. These are the dotted lines on the figure. Each of these is put in an even higher-order cluster (the heavy solid lines on the figure). The process is continued until all clusters fall into the same higher order cluster.

This analysis yields a hierarchical tree, which is the hypothetical natural conceptualization of the object by an individual.

Step 2: Finding if different people conceptualize uniformly.

Below we give a method to determine <u>how different</u> conceptualizations from different people, and from one person on different trials, are. That is, are they minor variants of the same conceptualization, or do they form different categories? We demonstrate the method in the context of the experiment we conducted.

Sixteen people built the helicopter five times, once every other day. A physical model was used as a guide on each trial. Each time, the subject was required to request each piece separately, and the order of request was recorded. A person's conceptualization of the helicopter was derived from the order of requests, as described above, using a computer package ([6]).

Among the 80 trials (16 subjects x 5 trials each), all conceptualizations were different. The questions we were able to answer were:

1) Can different conceptualizations be treated as variants of one

conceptualization, or do they form different categories?

2) How does the conceptualization presented in an instructional film we are using compare with subjects' conceptualizations?

The method used was a cluster analysis of the 81 trials, including the conceptualization from the film. The distance between trials is described in the Appendix.

The main result is that the population of trials divided into one large cluster of 66 cases, and three others, having 11, 2, and 2 cases respectively. The conceptualization presented in the instructional film went into the largest cluster.

For a composite graph, the average distance between nodes is computed. The composite conceptualization from the 66 cases is shown in Figure 6.

Our major finding is that over 80% of the trials (66 of 81) fall into the same cluster. This finding is important for individualized instruction. When a collection of trials splits into many different clusters, it means that different people conceptualize differently, and that one person conceptualizes differently at different times. That indicates that in order to improve performance, instructions need to be tailored specifically for a person in a given situation. The fact that 80% of the trials fall in one cluster indicates that, at least for the subject population tested and the object huilt here, one set of instructions can cover a majority of people. (We have obtained a similar result using a different, more complex, object in another study. There, the majority cluster contains 70% of the trials.)

The fact that the conceptualization from our film (used in Part IV) falls into the largest cluster means that it follows Principle 3. Its conceptualization is the same as that of the majority of the people who will be instructed by it.

The state of the s

In Part III we have given the principle (to be tested in future work) that

the conceptual units given in instructions should conform to people's natural conceptualization. And we have given the methodology to find if people conceptualize uniformly, and the technique for constructing a composite conceptualization for a group of subjects.

Part IV: Learning a Procedure from Multimedia Instructions: The Effects of Film and Practice.

The Principle. For good retention of a procedure to be performed from memory, the arrangement of an instructional sequence consisting of film and practice should be practice first and film second. This is a rule of thumb, to be used when no information is known about the person being trained. When variables such as manual dexterity and experience with similar tasks have been assessed, a training sequence differing from practice first, film second may be better for a particular individual.

We present here a summary of the experiment on which we base the principle. The details are in [7]. A related study, using only pictures and text for instructions, is in [8].

Different modalities of instruction (film versus practice), different amounts of the two, and different orders (film first or practice first) were given to people in the experiment. By practice we mean that people built the object with a physical model sitting before them as a guide. The object to be assembled was the 54 piece helicopter shown in Figure 4. The 12 groups, their instructional sequences, and their time of test, are given in Table 2.

Insert Table 2 about here

The instructional film, shot by James Otis, was 15 min long, in color, and narrated. The conceptual units presented in the film were the same as those of the majority of the people who built the helicopter from a model, in the work

presented in Part III.

After the instructions, including practice where appropriate, each person was required to build the helicopter from memory, either immediately or after a one week delay. Note that the four groups instructed by film alone did not have hands-on practice during training. They built the helicopter only once, from memory. All other groups built the helicopter at least once during training, using a model as a guide. They built it again, this time from memory, during the test trial.

Performance on the memory trial was assessed as follows: The abstract graph of each helicopter built from memory was drawn. The number of correct connections it contained was the dependent measure. (This assesses the similarity in structure of the helicopter built from memory and the correctly built helicopter.) There are 58 connections in the correctly built helicopter (as can be seen in Figure 5), so the range was 0 to 58.

The results are given in Table 3. For convenience in talking about the

Insert Table 3 about here

groups, we abbreviate film by F and model by M. For example, the groups who, during training, saw the film first and built the model second, are abbreviated FM.

A Newman-Keuls procedure was used to test differences between pairs of means at zero delay. (See [9].) A separate procedure was used for 7-day delay. The groups who built the helicopter immediately after their instruction line up statistically as follows with respect to their performance from memory:

MM = MF = FM > FF = M > F.

This result means that some practice is good during instruction, either building twice or building once and seeing a film. (Order of practice and film does not

The second control of the second

matter when performance is tested immediately.)

After a seven day delay, the lineup of the groups is different:

MF > MM = FM = M = FF > F.

All groups are depressed to about 50% of their scores when tested immediately, except for one, the group that builds first and sees the film second. Its performance after a week is 30.3/46.7 = 65% of its performance at zero delay. Retention of a procedure to be performed from memory is clearly highest in this group. In general, when a person builds first and then sees a film displaying conceptual units, with names, second, his or her performance is best. 3

However, individual differences in performance within a group were very great. For example, scores could range from 0 to 58, and an actual range in a single group of 2 to 56 was common. The average standard deviation in a group was over 20%.

This finding leads us to conclude that the right training sequence for a procedure that is to be performed from memory varies, depending on the individual. And this brings up the question of individualized instruction. A goal of our future research is to discover what individualized instruction should contain. Specifically, should instruction be individualized simply by varying the amount given to different people, depending on their experience or skill? Or should it be individualized by giving different modalities, or modalities in different orders, or different conceptualizations, etc.? A second goal of our future work is to develop a small number of brief tests which can be easily given to subjects. Performance on these tests would be used to (a) predict performance as a function of instructions; and (b) assign a person to an appropriate instructional sequence.

Until such tests are available, we recommend that a person's performance be tested after practice, after film instruction, and after various amounts and combinations, to see which gives optimum results. If such testing is not

possible, the instructional sequence should be practice first and film second.

Final Remarks

The four principles presented in this paper were derived from and tested on primarily assembly tasks. Their generalizability to other types of tasks, for example, repair tasks, programming, use of new equipment, etc., should be tested experimentally. The methodologies given here can be easily modified for studying the tasks mentioned above.

References

- [1] P. Baggett and A. Ehrenfeucht. "Now an Unfamiliar Thing Should Be Called".

 Journal of Psycholinguistic Research, Vol. 11(5), pp. 437-445, 1982.
- [2] D. Norman. Personal communication. June 18, 1981.
- [3] G. Perlman. "Two Papers in Cognitive Engineering: The Design of an Interface to a Programming System", and "Menuix: A Menu-Based Interface to UNIX" (User Manual). Technical Report 81-5, University of California at San Diego, November, 1981.
- [4] P. Baggett. "The Role of Temporal Overlap of Visual and Auditory Material in Forming Dual Media Associations". Technical Report 113-ONR, University of Colorado at Boulder, April, 1982.
- [5] P. Baggett and A. Ehrenfeucht. "Encoding and Retaining Information in the Visuals and Verbals of an Educational Movie". Educational Communication and Technology Journal, in press.
- [6] R.M. Perry. "Computer Techniques for Cluster Analysis". Technical Report,

 Computer Science Department, University of Colorado at Boulder, 1983.
- [7] P. Baggett. "Learning a Procedure from Multimedia Instructions: The Effects of Film and Practice". In progress.
- [8] D. Stone and T. Crandall. "Relationships of Illustrations and Text in Reading Technical Material". In <u>Advances in Reading and Language Research</u>,
 B. Hutson (Ed.), Greenwich, CN: J.A.I. Press, 1982, pp. 283-307.
- [9] B. Winer. "Statistical Principles in Experimental Design". New York: McGraw-Hill. 1971.

Footnotes

This research was supported by the Office of Naval Research Contract #NOO014-78-C-0433, NR 157-422. This paper is Technical Report #121 of the Institute of Cognitive Science, University of Colorado at Boulder.

- 1. In this and all other experiments reported, the subjects were students enrolled in introductory psychology at the University of Colorado who participated as part of a class requirement.
- 2. The connections to be considered can be set for each analysis. Here we consider only physical connections. There are 58 in the helicopter. We could have considered as many as $\binom{54}{2} = 1431$.
- 3. In our experiment, we put a limit on the type and amount of instruction. The theoretical rationale for this is given in [7]. When there is no such limit, longer sequences, such as practice first, film second, practice third, might prove even better than the arrangement suggested here.

Figure Captions

- Figure 1. A piece from the assembly kit. Its actual size is 15×7.5 mm (.6 x .6 x .3in).
- Figure 2. Upper panel: A graph of the 14 names generated for the piece shown in Figure 1. The nodes contain the different words. The links are directed from A to B, for all cases when two words, A and B, were given consecutively in a name, with A preceding B. The number of time a particular word was used is given in parentheses under its node, for all words used twice or more.

Lower panel: A composite naming diagram. It is a subgraph consisting of all nodes with words mentioned at least twice. Names for the piece in Figure 1 suggested as candidates from the diagram are: block, red H block, red H block, H joint, flat grooved connector, and universal connector.

- Figure 3. Percentage correct on recall of names, given the pieces, as a function of degree of asynchrony between the visual and spoken material in the film, and delay between the film and the test (zero- or 7-day).
- Figure 4. A toy helicopter built from 54 pieces of the Fischer-Technik 50 assembly kit.
- Figure 5. An abstract graph of the toy helicopter shown in Figure 4. The nodes represent pieces in the helicopter, and the links represent physical connections.
- Figure 6. The composite conceptualization of the helicopter from the majority group (66 of 81 trials). The method for obtaining this division into conceptual units is given in the text.
- Figure 7. Pieces p_1 and p_2 occur in conceptualizations T_i and T_j as shown. In T_i , p_1 and p_2 are in the same first order cluster, so that their height equals one. In T_j , they are in the same second order cluster, so that their height equals two.

The second second second

Appendix

There are two steps in doing the cluster analysis on a group of conceptualizations. Both are done using the computer package in [6].

- 1. Find the distance between all pairs of conceptualizations;
- 2. Do a cluster analysis on the space of all pairs of conceptualizations, with distances defined from step 1.

The details required for each step are given below:

1. The distance between conceptualization on two trials T_{i} and T_{j} is defined as follows:

It is the sum (over all 58 connected pairs of pieces in the helicopter) of the difference in height in a conceptualization necessary to put a connected pair in the same cluster.

Here is an example. Consider a pair of connected pieces p_1 and p_2 . Suppose they are placed in the conceptualizations of T_i and T_j as shown in Figure 7. In conceptualization T_i , p_1 and p_2 are in the same first order cluster. Their height = 1. In conceptualization T_j , p_1 and p_2 are in the

Insert Figure 7 about here

same second order cluster (dotted). Their height = 2.

The distance between the pair of pieces (p_1,p_2) in conceptualizations T_i and T_j is the difference in their heights, 2-1 =1.

The distance between T_i and T_j is the sum (over all 58 pairs) of these distances.

2. A cluster analysis is done on the conceptualizations, with each one put in a cluster with its closest connected neighbor (as described in Part 3).

Table 1: Percentage Correct on Matching and Recall, and Average
Number of Words per Name, for Each of Four Groups

	percentage	percentage	average
	correct:	correct:	number of
	matching	surprise	words per name
		recall*	
group given	59.89	27.25	2.94
names from			
manufacturer			
group given	89.20	48.64	2.75
iteration 1			
names			
group given	93.92	48.60	2.81
iteration 2			
names			
group given	96.23	50.72	2.60
iteration 3			

names

^{*}No variation was scored as correct. For example, for the triangle joint, the name triangular joint was scored as wrong.

Table	2:	Experimental	Groups	for	Mixing	Modalities	in	Instruction
-------	----	--------------	--------	-----	--------	------------	----	-------------


stimulus 1	see film	build from model	see film	build from model		
stimulus 2	build from model	see film	see film again	build from model again	see film	build from model
test	(immedia	tely, for 6	groups) bu	•	eter from me	emory
test	(after 1	week, for 6	groups) b	uild helico	opter from m	memory


Table 3: Mean Number of Correct Connections in Helicopter Built From Memory (a score of 58 is possible)

stimulus 1 see film 1	build from model	see film	build from model	 	† † † †
stimulus 2 build from s	see film	see film again	build from model again	see film	build from model
zero delay 46.6 7-day delay 23.8 Note: Data are from 360 subjects. 1	46.7 40.0 4 30.3 18.5 2	40.0 18.5	49.2	21,3	39.6

15 remaies per group.

They asserted on a questionnaire that they had neither seen the film nor built the helicopter before the experiment.










Figure 2



TEMPORAL SHIFT

Figure 3










Figure 5






in conceptualization Ti:



In conceptualization T:



Navy

- 1 Mr. Ernest Abel Maval Education & Training Command Code N-913 MAS Pensacola, FL 32508
- 1 Mr. Fred Abell Training Specialist Naval Oceanographic Command Facility Bldg. 200 NSTL Station, MS 39529
- 1 Robert Ahlers Code N711 Human Factors Laboratory NAVTRAEQUIPCEN Orlando, FL 32813
- 1 Dr. Meryl S. Baker Navy Personnel R&D Center San Diego, CA 92152
- 1 CDR Robert J. Biersner Naval Medical R&D Command National Naval Medical Center Bethesda, MD 20814
- 1 Code N711 Attn: Arthur S. Blaiwes Naval Training Equipment Center Orlando, FL 32813
- 1 Liaison Scientist
 Office of Naval Research
 Branch Office, London
 Box 39
 FPO New York, NY 09510
- 1 Lt. Alexander Bory
 Applied Psychology
 Measurement Division
 NAMRL
 NAS Pensacola, FL 32508
- 1 Dr. Richard Cantone Navy Research Laboratory Code 7510 Washington, DC 20375
- 1 Dr. Robert Carroll NAVOP 115 Washington , DC 20370

Navy

- 1 Chief of Naval Education and Training Liason Office Air Force Human Resource Laboratory Operations Training Division WILLIAMS AFB, AZ 85224
- 1 Dr. Stanley Coliyer Office of Naval Technology 800 N. Quincy Street Arlington, VA 22217
- 1 CDR Mike Curran Office of Naval Research 800 N. Quincy St. Code 270 Arlington, VA 22217
- 1 Dr. Tom Duffy Navy Personnel R&D Center San Diego, CA 92152
- 1 Edward E. Eddowes
 Educational Advisor, Code N-3
 HQ Chief of Naval Air Training
 Corpus Christi, TX 78419
- 1 DR. PAT FEDERICO Code P13 NPRDC San Diego, CA 92152
- 1 Dr. John Ford Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr. Mike Gaynor Navy Research Laboratory Code 7510 Washington, DC 20375
- 1 Dr. Jim Hollan Code 304 Navy Personnel R & D Center San Diego, CA 92152
- 1 Dr. Ed Hutchins Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr. Norman J. Kerr
 Chief of Naval Technical Training
 Naval Air Station Hemphis (75)
 Millington, TN 38054

Navy

- 1 Dr. Peter Kincaid Training Analysis & Evaluation Group Dept. of the Navy Orlando, FL 32813
- 1 Dr. Ray Main Code 14 Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr. William L. Maloy Principal Civilian Advisor for Education and Training Naval Training Command, Code OOA Pensacola, FL 32508
- 1 CAPT Richard L. Martin, USN Commanding Officer USS Carl Vinson (CVN-70) FPO New York, NY 09558
- 1 Dr William Montague NPRDC Code 13 San Diego, CA 92152
- 1 Bill Nordbrock 1032 Fairlawn Ave. Libertyville, IL 60048
- 1 Library, Code P201L Navy Personnel R4D Center San Diego, CA 92152
- 1 Technical Director Navy Personnel R&D Center San Diego, CA 92152
- 6 Commanding Officer Naval Research Laboratory Code 2627 Washington, DC 20390
- 1 Office of Naval Research Code 433 800 N. Quincy SStreet Arlington, VA 22217
- 6 Personnel & Training Research Group Code 442PT Office of Naval Research Arlington, VA 22217

Navy

- 1 Psychologist
 OMR Branch Office
 1030 East Green Street
 Pasadens, CA 91101
- 1 Special Asst. for Education and Training (OP-01E) Rm. 2705 Arlington Annex Washington, DC 20370
- 1 Office of the Chief of Naval Operations Research De/elopment & Studies Branch OP 115 Washington, DC 20350
- 1 Dr. Gary Poock
 Operations Research Department
 Code 55PK
 Naval Postgraduate School
 Monterey, CA 93940
- 1 Dr. Gil Ricard Code N711 NTEC Orlando, FL 32813
- 1 Dr. Carl Ross CNET-PDCD Building 90 Great Lakes NTC, IL 60088
- 1 Dr. Worth Scanland CNET (N-5) NAS, Pensacole, FL 52508
- 1 Mr. Irving Schiff
 Dept. of the Navy
 Chief of Naval Operations
 OP 113
 Washington, DC 20350
- 1 Dr. Robert G. Smith Office of Chief of Naval Operations OP-987H Washington, DC 20350
- 1 Dr. Alfred F. Smode, Director Training Analysis & Evaluation Group Dept. of the Navy Orlando, FL 3281?

1 Dr. Richard Sorensen Navy Personnel R&D Center San Diego, CA 92152

Navy

- 1 Dr. Frederick Steinheiser CNO - OP115 Navy Annex Arlington, VA 20370
- 1 Code 14 Navy Personnel R&D Center San Diego, CA 92152
- 1 Roger Weissinger-Baylon Department of Administrative Sciences Naval Postgraduate School Monterey, CA 93940
- 1 Mr John H. Wolfe Navy Personnel R4D Center San Diego, CA 92152

A STATE OF THE PARTY OF THE PAR

Marine Corps

- 1 H. William Greenup Education Advisor (E031) Education Center, MCDEC Quantico, VA 22134
- 1 Special Assistant for Marine Corps Matters Code 100M Office of Naval Research 800 N. Quincy St. Arlington, VA 22217
- 1 DR. A.L. SLAFKOSKY
 SCIENTIFIC ADVISOR (CODE RD-1)
 HQ. U.S. MARINE CORPS
 WASHINGTON, DC 20380

Army

- 1 Technical Director
 U. S. Army Research Institute for the
 Behavioral and Social Sciences
 5001 Eisenhower Avenue
 Alexandria, VA 22333
- 1 Mr. James Baker Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Dr. Beatrice J. Farr U. S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Dr. Milton S. Katz Training Technical Area U.S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Dr. Harold F. O'Neil, Jr. Director, Training Research Lab Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Joseph Psotka, Ph.D. ÅTTN: PERI-1C Årmy Research Institute 5001 Eisenhower Ave. Ålexandria, VA 22333
- 1 Dr. Robert Sasmor
 U. S. Army Research Institute for the Behavioral and Social Sciences
 5001 Eisenhower Avenue
 Alexandria, VA 22332

1 Dr. Robert Wisher Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333 Air Force

- 1 AFHRL/LRS Attn: Susan Ewing WPAFB WPAFB, CH 45423
- 1 U.S. Air Force Office of Scientific Research Life Sciences Directorate, NL Bolling Air Force Base Washington, DC 20332
- 1 Air University Library AUL/LSE 76/443 Maxwell AFB, AL 36112
- 1 Dr. Earl A. Alluisi HQ, AFHRL (AFSC) Brooks AFB, TX 78235
- 1 Bryan Dallman AFHRL/LRT Lowry AFB, CO 80200
- 1 Dr. Alfred R. Fregly
 AFOSR/NL
 Bolling AFB, DC 20332
- 1 Dr. Genevieve Haddad
 Program Manager
 Life Sciences Directorate
 AFOSR
 Bolling AFB, DC 20332
- 1 Dr. T. M. Longridge AFHRL/OTGT Williams AFB, AZ 85224
- 1 Dr. Joseph Yasatuke AFHRL/LRT Lowry AFB, CO 30230

Department of Defense

- 12 Defense Technical Information Center Cameron Station, Bldg 5 Alexandria, VA 22314 Attn: TC
- 1 Military Assistant for Training and Personnel Technology Office of the Under Secretary of Defens for Research & Engineering Room 3D129. The Pentagon Washington, DC 20301
- 1 Major Jack Thorpe DARPA 1400 Wilson Blvd. Arlington, VA 22209

Civilian Agencies

- 1 Dr. Patricia A. Butler NIE-BRN Bldg, Stop # 7 1200 19th St., NW Washington, DC 20208
- 1 Dr. Susan Chipman Learning and Development National Institute of Education 1200 19th Street NW Washington, DC 20208
- 1 Edward Esty
 Department of Education, CERI
 MS 40
 1200 19th St., NW
 Washington, DC 20208
- 1 Dr. John Mays National Institute of Education 1200 19th Street NW Washington, DC 20208
- 1 Dr. Arthur Melmed
 OERI
 1200 19th Street NW
 Washington, DC 20208
- 1 Dr. Andrew R. Molnar Office of Scientific and Engineering Personnel and Education National Science Foundation Washington, DC 20550
- 1 Dr. Judith Orasanu National Institute of Education 1200 19th St., N.W. Washington, DC 20208
- 1 Dr. Ramsay W. Selden National Institute of Education 1200 19th St., NW Washington, DC 20208
- 1 Chief, Psychological Reserch Branch U. S. Coast Guard (G-P-1/2/TP42) Washington, DC 20593
- 1 Dr. Frank Withrow
 U. S. Office of Education
 400 Maryland Ave. SW
 Washington, DC 20202

Civilian Agencies

1 Dr. Joseph L. Young, Director Memory & Cognitive Processes National Science Foundation Washington, DC 20550

- 1 Dr. Erling B. Andersen Department of Statistics Studiestraede 6 1455 Copenhagen DENMARK
- 1 Dr. John R. Anderson Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213
- i Dr. John Annett Department of Psychology University of Warwick Coventry CV4 7AJ ENGLAND
- 1 Dr. Michael Atwood Bell Laboratories 11900 North Pecos St. Denver, CO 80234
- 1 Psychological Research Unit Dept. of Defense (Army Office) Campbell Park Offices Canberra ACT 2600 AUSTRALIA
- 1 Dr. Alan Baddeley
 Medical Research Council
 Applied Psychology Unit
 15 Chaucer Road
 Cambridge CB2 2EF
 ENGLAND
- 1 Ms. Carole A. Bagley Minnesota Educational Computing Consortium 2354 Hidden Valuey Lane Stillwater, MN 55062
- 1 Mr. Avron Barr Department of Computer Science Stanford University Stanford, CA 94305
- 1 Dr. George R. Pieger B-110 Coleman Hall Bucknell University Lewisburg, PA 17887

- 1 Dr. John Black Yale University Box 11A, Yale Station New Haven, CT 06520
- 1 Dr. John S. Brown XEROX Palo Alto Research Center 3333 Coyote Road Palo Alto, CA 94304
- 1 Bundministerium der Verteidigung
 -Referat P II 4Psychological Service
 Postfach 1328
 D-5300 Bonn 1
 F. R. of Germany
- 1 Dr. C. Victor Bunderson WICAT Inc. University Plaza, Suite 10 1160 So. State St. Orem, UT 84057
- 1 Dr. Jaime Carbonell Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213
- 1 Dr. Pat Carpenter Department of Psychology Carnegie-Mellon University Pittsburgh, PA 1521?
- 1 Dr. William Chase Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213
- 1 Dr. Micheline Chi Learning R & D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15213
- 1 Dr. William Clancey
 Department of Computer Science
 Stanford University
 Stanford, CA 94306

- 1 Dr. Michael Cole University of California at San Diego Laboratory of Comparative Human Cognition - D003A La Jolla, CA 92093
- 1 Dr. Allan M. Collins
 Bolt Beranck & Newman, Inc.
 50 Moulton Street
 Cambridge, MA 02138
- 1 Dr. Kenneth B. Cross Anacapa Sciences, Inc. P.O. Drawer Q Santa Barbara, CA 93102
- 1 ERIC Facility-Acquisitions 4833 Rugby Avenue Bethesda, MD 20014
- 1 Dr. Paul Feltovich
 Department of Medical Education
 Southern Illinois University
 School of Medicine
 P.O. Box 3926
 Springfield, IL 62708
- 1 Professor Reuven Feuerstein HWCRI Rehov Karmon 6 Bet Hakerem Jerusalem: Israel
- 1 Mr. Wallace Feurzeig
 Department of Educational Technology
 Bolt Feranek & Newman
 10 Moulton St.
 Cambridge, MA 02235
- 1 Dr. Victor Fields Dept. of Psychology Montgomery College Rockville, MD 20850
- 1 Dr. Dexter Fletcher WICAT Research Institute 1875 S. State St. Orem, UT 22333
- 1 Dr. John D. Folley, Jr.
 Applied Science Associates, Inc.
 P. O. Box 158
 Valencia, PA 16059

- 1 Dr. John R. Frederiksen Bolt Beranek & Newman 50 Moulton Street Cambridge, MA 02138
- 1 Dr. Michael Genesereth Department of Computer Science Stanford University Stanford, CA 94305
- 1 Dr. Dedre Gentner Bolt Beranek & Newman 10 Moulton St. Cambridge, MA 02138
- 1 Dr. Robert Glaser Learning Research & Development Center University of Pittsburgh 3939 O'Hara Street PITTSBURGH, PA 15260
- 1 Dr. Marvin D. Glock 217 Stone Hall Cornell University Ithaca, NY 14853
- 1 Dr. Josph Goguen SRI International 333 Ravenswood Avenue Menlo Park, CA 94025
- 1 Dr. Bert Green
 Johns Hopkins University
 Department of Psychology
 Charles & 34th Street
 Baltimore, MD 21218
- 1 DR. JAMES G. GREENO LRDC UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15213
- 1 Dr. Barbara Hayes-Roth Department of Computer Science Stanford University Stanford, CA 95305
- 1 Dr. Frederick Hayes-Roth Teknowledge 525 University Ave. Palo Alto, CA 94301

- 1 Dr. Lloyd Humphreys Department of Psychology University of Illinois Champaign, IL 61820
- 1 Dr. Earl Hunt Dept. of Psychology University of Washington Seattle, WA 95105
- 1 Mr. R. P. Joyce
 Applied Science Associates
 P. O. Box 155
 Valencia, PA 16050
- 1 Dr. Steven W. Keele Dept. of Psychology University of Oregon Eugene, OR 97403
- 1 Dr. David Kierus Department of Psychology University of Arizona Tuscon, AZ 85721
- 1 Dr. Walter Kintsch
 Department of Psychology
 University of Colorado
 Boulder, CO 80302
- 1 Dr. Stephen Kosslyn Department of Psychology Brandeis University Waltham, MA 02254
- 1 Dr. Pat Langley Carnegie-Mellon University Pittsburgh, PA 15213
- 1 Dr. Marcy Lansman
 The L. L. Thurstone Psychometric
 Laboratory
 University of North Carolina
 Davie Hall 013A
 Chapel Hill, NC 27514
- 1 Dr. Jill Larkin Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213

- 1 Dr. Alan Lesgold Learning R&D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15260
- 1 Dr. Jim Levin
 University of California
 at San Diego
 Laboratory fof Comparative
 Human Cognition D003A
 La Jolla, CA 92093
- 1 Dr. Michael Levine
 Department of Educational Psychology
 210 Education Bldg.
 University of Illinois
 Champaign, IL 61801
- 1 Dr. Marcia C. Linn
 University of California
 Director, Adolescent Reasoning Project
 Berkeley, CA 94720
- 1 Dr. Robert Linn College of Education University of Illinois Urbana, IL 61801
- 1 Dr. Erik McWilliams 13216 Ridge Drive Rockville, MD Washington, DC 20550
- 1 Dr. James R. Miller Texas Instruments, Inc. Central Research Laboratory P. O. Box 226015, MS238 Dallas, TX 75266
- 1 Dr. Mark Miller Computer Thought Corporation 1721 West Plane Parkway Plano, TX 75075
- 1 Dr. Tom Moran Xerox PARC 3333 Coyote Hill Road Palo Alto, CA 94304
- 1 Dr. Allen Munro Behavioral Technology Laboratories 1845 Elena Ave., Fourth Floor Redondo Beach, CA 90277

Private Sector

- 1 Dr. Donald A Norman Cognitive Science, C-015 Univ. of California, San Diego La Jolla, CA 92093
- 1 Dr. Jesse Orlansky Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311
- 1 Dr. Seymour A. Papert
 Massachusetts Institute of Technology
 Artificial Intelligence Lab
 545 Technology Square
 Cambridge, MA 02139
- 1 Dr. James A. Paulson Portland State University P.O. Box 751 Portland, OR 97207
- 1 Dr. Nancy Pennington University of Chicago 5801 S. Ellis Avenue Chicago, IL 60637
 - 1 Mr. L. Petrullo 2431 N. Edgewood Street ARLINGTON, VA 22207
 - 1 Dr. Richard A. Pollak
 Director, Special Projects
 Minnesota Educational Computing Consort
 2520 Broadway Drive
 St. Paul.MN

- 1 Dr. Martha Polson
 Department of Psychology
 Campus Box 346
 University of Colorado
 Boulder, CO 80309
- 1 DR. PETER POLSON
 DEPT. OF PSYCHOLOGY
 UNIVERSITY OF COLORADO
 BOULDER, CO 20309
- 1 Dr. Fred Reif Physics Department University of California Berkeley, CA 94720

- 1 Dr. Lauren Resnick LRDC University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 1521
- 1 Dr. Jeff Richardson Denver Research Institute University of Denver Denver, CO 80208
- 1 Mary S. Riley
 Program in Cognitive Science
 Center for Human Information Processing
 University of California, San Diego
 La Jolla, CA 92093
- 1 Dr. Andrew M. Rose American Institutes for Research 1055 Thomas Jefferson St. NW Washington, DC 20007
- 1 Dr. Ernst Z. Rothkopf Bell Laboratories Murray Hill, NJ 07974
- 1 Dr. William B. Rouse Georgia Institute of Technology School of Industrial & Systems Engineering Atlanta, GA 30332
- 1 Dr. David Rumelhart Center for Human Information Processing Univ. of California, San Diego La Jolla, CA 92093

- 1 Dr. Michael J. Samet Perceptronics, Inc 6271 Variel Avenue Woodland Hills, CA 91364
- 1 Dr. Roger Schank Yale University Department of Computer Science P.O. Box 2158 Wew Haven, CT 06520
- 1 Dr. Walter Schneider Psychology Department 603 E. Daniel Champaign, IL 61820

- 1 Dr. Alan Schoenfeld Mathematics and Education The University of Rochester Rochester, NY 14627
- 1 DR. ROBERT J. SEIDEL
 INSTRUCTIONAL TECHNOLOGY GROUP
 HUMRRO
 300 N. WASHINGTON ST.
 ALEXANDRIA, VA 22314
- 1 Mr. Colin Sheppard
 Applied Psychology Unit
 Admiralty Marine Technology Est.
 Teddington, Middlesex
 United Kingdom
- 1 Dr. H. Wallace Sinaiko
 Program Director
 Manpower Research and Advisory Services
 Smithsonian Institution
 801 North Pitt Street
 Alexandria, VA 22314
- 1 Dr. Edward E. Smith Bolt Beranek & Newman, Inc. 50 Moulton Street Cambridge, MA 02138
- 1 Dr. Richard Snow School of Education Stanford University Stanford, CA 94305
- 1 Dr. Eliott Soloway
 Yale University
 Department of Computer Science
 P.O. Box 2158
 New Haven, CT 06520
- 1 Dr. Kathryn T. Spoehr Psychology Department Brown University Providence, RI 02912
- 1 Dr. Robert Sternberg Dept. of Psychology Yale University Box 11A, Yale Station New Haven, CT 06520

- 1 Dr. Albert Stevens Bolt Beranek & Newman, Inc. 10 Moulton St. Cambridge, MA 02238
- 1 David E. Stone, Ph.D. Hazeltine Corporation 7680 Old Springhouse Road McLean, VA 22102
- 1 DR. PATRICK SUPPES
 INSTITUTE FOR MATHEMATICAL STUDIES IN
 THE SOCIAL SCIENCES
 STANFORD UNIVERSITY
 STANFORD, CA 94305
- 1 Dr. Kikumi Tatsuoka Computer Based Education Research Lab 252 Engineering Research Laboratory Urbana, IL 61801
- 1 Dr. Maurice Tatsuoka Department of Educational Psychology University of Illinois Urbana, IL 61801
- 1 Dr. Perry W. Thorndyke Perceptronics, Inc. 545 Middlefield Road, Suite 140 Menlo Park, CA 94025
- 1 Dr. Douglas Towne
 Univ. of So. California
 Behavioral Technology Labs
 1845 S. Elena Ave.
 Redondo Beach, CA 90277
- 1 Dr. Kurt Van Lehn Zerox PARC 3333 Coyote Hill Road Palo Alto, CA 94304
- 1 Dr. Keith T. Wescourt Perceptronics, Inc. 545 Middlefield Road, Suite 140 Menlo Park, CA 94025

A CONTRACTOR OF THE PARTY OF TH

1 Dr. Mike Williams Zerox PARC 3333 Coyote Hill Road Palo Alto, CA 94304

